

Mahindra brings you MTRUST, the best way to buy used Mahindra trucks. We put each vehicle through 166 tough health checks. Refurbish with only Mahindra spares. All to give you trucks that are as good as new and

• UP TO 12 MONTHS WARRANTY • UP TO 3 FREE SERVICES • ROAD SIDE ASSISTANCE • REFINANCE OPTIONS For details, please contact: 1800 200 3635



VEHICLE ASSISTANCE BY EXPI IULTILINGUAL SERV

Corporate: contactmtb@mahindra.com Customer Care: now24X7@mahindra.com



MOBILE SERVICE VANS & WORKSHOPS



Mahindra & Mahindra Ltd., Truck and Bus Division, Marketing Division, 2nd Floor, Mahindra Towers, Worli, Mumbai 400 018.

SMS 'MTB' to 56767

Note: In view of our policy of continuously improving our products, we reserve the right to alter specifications or design without prior notice and without liability. Illustrations do not necessarily show the vehicle in its standard form. Accessories shown are not part of the standard equipment. Colour shades shown may vary. E. & 0.E.

UNTRY-WIDE SPARES SERVICE NETWORK

DEALER STAMP



315 7799

1800

BLAZ0

5 To get

X

Truck and Bus

GUARANTEED TO OUTPERFORM IN THE NEW AXLE LOAD NORMS ERA.

NEW MAHINDRA

★★★ GET MORE MILEAGE OR GIVE THE TRUCK BACK ★★★

WITH EVERY GUARANTEE YOU NEED.

The Mahindra BLAZO X is built to bring you more profits in this new axle load norms era. Its power to weight ratio is the highest which means that every trip will now take the least time. Built with rugged aggregates, the BLAZO X lasts longer than other trucks. More than anything it comes with an unbeatable mileage guarantee along with service and spares guarantees. Turn the pages and see how it gives you a winning edge in your business, no matter what you transport.

MAHINDRA BLAZIO

THE BLAZOX REVOLUTION



AHEAD OF THE REST Mahindra's airless SCR technology not only meets the global standards to control emissions from heavy commercial vehicles, but also does so with a simple layout and lesser number of parts allowing drivers and engineers to access maximum benefit with minimal specialised training.



THE SMART WAY TO SAVE FUEL

Mahindra has advanced existing technology with its innovative FuelSmart switches that have ncreased fuel efficiency as well as mileage.



THE CRDe ADVANTAGE

Mahindra has always adopted a futuristic approach that is quite evident in their 10 YEARS of experience in CRDE engines across 9 countries. A cost-effective technology that doesn't compromise on performance or reliability, Mahindra's CRDe engines prevail in every terrain that India offers.

The Mahindra BLAZO X BSIV with CRDe is tried, tested and proven time and time again all while challenging and changing the face of the Indian transport industry, and securing its spot as the badshah of BSIV.





UELSMART MILEAGE AND POWER AT THE TOUCH OF A SWITCH.

FuelSmart is automotive technology at its best, at its simplest. Developed by Mahindra to give your business a competitive edge, the FuelSmart switches let you choose between superior mileage and unmatched power as and when your business demands.

Turn on the Heavy mode when carrying full loads. Use the Turbo mode when transporting big loads over steep inclines. Or simply switch on the Light mode when running without load. Each mode squeezes the maximum efficiency from the mPOWER FuelSmart engine and gives you unbeatable mileage. This is the FuelSmart Advantage.





THE HEART OF SMART.

Mahindra's mPOWER FuelSmart engine with 7.2 litre displacement has a large heart with immense reserve capacity and a backing of 10 YEARS of CRDe expertise. This engine, in combination with the multi-mode switches, delivers uncompromising performance. Giving mileage without short changing you when you need power, pickup or pulling ability. At the same time, this engine cuts down on emissions to give you cleaner, greener running for years to come.



GET THE FUELSMART ADVANTAGE WHATEVER YOU TRANSPORT.

Whether you're in the business of delivering cement, food grains, blocks of stone or frozen food, Mahindra has a truck for every transport application. There are even cowl and chassis models to let you shape the truck to your specific need. And no matter which truck you use, you will always get the FuelSmart Advantage and a machine that gives you an unbeatable mileage guarantee.

- 24

BLAZOX IS READY FOR THE NEW HIGHER LOAD NORMS WITH MILEAGE GUARANTEE INTACT.

COLUMN TWO IS NOT

M.M.T.TX

minter m

(GET MORE MILEAGE OR GIVE THE TRUCK BACK*)

6 WAYS BLAZO X IS READY TO MAXIMISE YOUR PROFIT IN THE NEW AXLE LOAD NORMS ERA!



Highest Power to Weight Ratio for Lowest Trip Time



FuelSmart Technology for best mileage



Superior SMART SCR technology for lowest AdBlue consumption



Rugged Aggregates for longer life



⁷ Mileage Guarantee -Get more mileage or give the truck back





EXTRA MILEAGE. EXTRA PARCELS. EXTRA PROFITS.

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Driver Information System
- Next-Gen features and improved cabin for better productivity

SPECIFICATIONS	BLAZO X 28
GVW	28000 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	204.32 kW @ 2200 r/min
Max. Torque	950 Nm @ 1100 - 1700 r/min
Transmission	Eaton 6S
Suspension Front	Semi Elliptical Leaf Spring
Suspension Rear	Semi Elliptical Leaf Spring
Rear Axle	Single reduction, fully floating axle shaft
	Option 1: 295/90R 20 + 10R20
Tyres	(Tube Radial Mixed)
	Option 2: 295/80R 22.5 Tubeless
Fuel Tank Capacity	330 litre
AdBlue® Tank Capacity	42 litre
Chassis Cross Section (mm)	285 x 70 x 8.5
Max. Speed	80 km/h (With Speed Limiter)
Gradeability	22%
Steering	Tilt & Telescopic Power Steering
Brakes	Full Air S Cam, 10 Bar System, ABS
System Voltage	24V (2x12)
Wheelbase/	5000 mm / 6716 mm
	5350 mm / 7315 mm
Load Body Length CBC	6600 mm / 9372 mm
Wheelbase/	5000 mm / 7355 mm
Load Body Length COWL	5350 mm / 7755 mm
	6600 mm / 9795 mm
Cabin	Single Sleeper (Opt. COWL)
HVAC	Optional
* FBV available in 7315.2 mm	only


AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)

PERFECT FOR









• 7.2 litre, high torque, low r/min engine. • mPOWER FuelSmart engine with multimode switches • Guaranteed better fuel efficiency

• Driver Information System

• Next-Gen features and improved cabin for better productivity

SPECIFICATIONS	BLAZO X 28 TIPPER 9S	
GVW	28000 kg	
Engine	mPOWER 7.2 litre FuelSmart	
Max. Power	204.32 kW @ 2200 r/min	
Max. Torque	950 Nm @ 1100 - 1700 r/min	
Gear Box	Eaton 9 Speed Gear Box	
Gradeability	44% (RAR: 6.17)	
Clutch (Diameter)	395 mm Diaphragm type, single plate dry clutch	
Suspension - Front	Semi Elliptical Leaf Spring with shock absorber	
Suspension - Rear	Inverted Leaf Bogie Suspension	
Rear Axle	Tandem Banjo Type Single Reduction RAR: 6.17 (Optional: 4.89)	
Tyres	Option 1: 11x20 16PR/18PR	
19165	Option 2: 295/95D 20 + 10x20 (Tube Type Mixed)	
Fuel Tank Capacity	235 litre	
AdBlue® Tank Capacity	42 litre	
Chassis Cross Section (mm)	285 X 70 X 8.5 with full length 5 mm reinforcement	
Max. Speed	60 km/h (With Speed Limiter)	
Steering	Hydraulic power assisted tilt & telescopic	
Brakes	Full Air S Cam Dual circuit Pneumatic Brake, 10 Bar system, ABS	
System Voltage	24V (2x12)	
Wheelbase	4250 mm	
Cabin	Day Cab (AC Optional)	
Min. Ground Clearance	250 mm	
Tipping Body Size	16 Cum & 20 Cum Box Body 14 Cum Rock Body	
Tipping Body option	HYVA make tipping body Optional: MTBD make tipping body	

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)





GIVES YOUR BUSINESS THAT EXTRA PUSH.

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Driver Information System
- Next-Gen features and improved cabin for better productivity

SPECIFICATIONS	BLAZO X 28 BOOM PUMP	
GVW	28000 kg	
Engine	mPOWER 7.2 litre FuelSmart	
Max. Power	204.32 kW @ 2200 r/min	
Max. Torque	950 Nm @ 1100 - 1700 r/min	
Gear Box	Eaton 9 Speed Gear Box	
Gradeability	37%	
Clutch (Diameter)	395 mm Diaphragm type, single plate dry clutch	
Suspension - Front	Semi Elliptical Leaf Spring with shock absorber	
Suspension - Rear	Inverted leaf Bogie Suspension	
Rear Axle	Tandem Banjo Type Single Reduction. RAR: 4.89	
Wheels & Tyres	11x20 16PR	
Fuel Tank Capacity	235 litre	
AdBlue® Tank Capacity	42 litre	
Chassis Cross Section (mm)	285 X 70 X 8.5 with full length 5 mm reinforcement	
Max. Speed	60 km/h (With Speed Limiter)	
Steering	Hydraulic power assisted tilt & telescopic	
Brakes	Full Air S Cam Dual circuit Pneumatic Brake, 10 Bar system, ABS	
System Voltage	24V (2x12)	
Wheelbase	5000 mm	
Cabin	Day Cab	
Min. Ground Clearance	250 mm	
Configurations	CBC Suitable for 36 m Boom Pump of M/s. Putzmeister & M/s Schwing Stetter	

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)





SPECIFICATIONS	BLAZO X 28 TRANSIT MIXER	
GVW	28000 kg	
Engine	mPOWER 7.2 litre FuelSmart	
Max. Power	204.32 kW @ 2200 r/min	
Max. Torque	950 Nm @ 1100 - 1700 r/min	
Gear Box	Eaton 6 Speed Gear Box	
Gradeability	28%	
Clutch (Diameter)	395 mm Diaphragm type, Single plate dry clutch	
Suspension - Front	Semi Elliptical Leaf Springs with shock absorber	
Suspension - Rear	Bell Crank Type Suspension	
Rear Axle	Tandem Banjo Type Single Reduction RAR: 4.89, 6.17	
Wheels & Tyres	295/95D 20 + 10x20 (Tube Type Mixed)	
Fuel Tank	235 litre	
AdBlue [®] Tank Capacity	42 litre	
Chassis Frame (mm)	285 X 70 X 8.5 thick	
Max Speed	60 km/h (With Speed Limiter)	
Steering	Hydraulic power assisted tilt & telescopic	
Brakes	Full Air S Cam Dual Circuit Pneumatic Brake, 10 Bar system with ABS	
System Voltage	24V (12x2)	
Wheelbase	4250 mm	
Cabin	Day Cabin (AC optional)	
Ground Clearance	250 mm	
Configurations	CBC for Transit Mixer Applications TM Drum Size: 6 Cum & 7 Cum	



BUILT FOR EXTRA MILEAGE. BUILT FOR ALL CONSTRUCTION NEEDS.

• 7.2 litre, high torque, low r/min engine.

- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Driver Information System
- Next-Gen features and improved cabin for better productivity

SPECIFICATIONS	BLAZO X 28 TIPPER 6S	
GVW	28000 kg	
Engine	mPOWER 7.2 litre FuelSmart	
Max. Power	204.32 kW @ 2200 r/min	
Max. Torque	950 Nm @ 1100 - 1700 r/min	
Gear Box	Eaton 6 Speed Gear Box	
Gradeability	28%	
Clutch (Diameter)	395 mm Diaphragm type,	
Ciulon (Diameter)	single plate dry clutch	
Suspension - Front	Semi Elliptical Leaf Springs	
Suspension - Front	with shock absorber	
Suspension - Rear	Bell Crank Type Suspension	
Rear Axle	Tandem Banjo Type Single Reduction	
Real AXIE	RAR: 4.89, 6.17	
Wheels & Tyres	295/95D 20 + 10x20 (Tube Type Mixed)	
Fuel Tank	235 litre	
AdBlue® Tank Capacity	42 litre	
Chassis Frame (mm)	285 X 70 X 8.5 thick with reinforcement	
Max. Speed	60 km/h (With Speed Limiter)	
Stooring	Hydraulic power assisted tilt	
Steering	& telescopic	
Brakes	Full Air S Cam Dual circuit Pneumatic Brake,	
	10 Bar system with ABS	
System Voltage	24V (12x2)	
Wheelbase	4250 mm	
Cabin	Day Cabin (AC optional)	
Ground Clearance	250 mm	
Tipping Body Size	16 Cum Box Body	

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)









DELIVERS EXTRA LOADS **AND FOOD GRAINS** WITHOUT GETTING FUEL-THIRSTY.

• 7.2 litre, high torque, low r/min engine. • mPOWER FuelSmart engine with multimode switches • Guaranteed better fuel efficiency • Driver Information System • Next-Gen features and improved cabin for better productivity • Better payload capacity

SPECIFICATIONS	BLAZO X 35
GVW	35000 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	204.32 kW @ 2200 r/min
Max. Torque	950 Nm @ 1100 - 1700 r/min
Transmission	Eaton 6S
Suspension Front	Semi Elliptical Leaf Spring
Suspension Rear	Semi Elliptical Leaf Spring
Rear Axle	Single reduction, fully floating axle shaft
	Option 1: 295/90R 20 + 10R20
Tyres	(Tube Radial Mixed)
	Option 2: 295/80R 22.5 Tubeless
Fuel Tank Capacity	330 litre
AdBlue® Tank Capacity	42 litre
Chassis Cross Section (mm)	285 x 70 x 8.5
Max Speed	80 km/h (With Speed Limiter)
Gradeability	20.50%
Steering	Tilt & Telescopic Power Steering
Brakes	Full Air S Cam, 10 Bar System, ABS
System Voltage	24V (2x12)
Wheelbase/	6100/7315 mm
Load Body Length CBC	6100 mm(EROH) / 7925 mm
	6650 mm / 9298 mm
	6650 mm / 8534 mm
Wheelbase/	6100 mm / 7755 mm
Load Body Length COWL	6100 mm(EROH) / 8365 mm
	6650 mm / 9795 mm
Cabin	Single Sleeper (Opt. COWL)
HVAC	Optional
* FBV available in 7315.2 mm onl	У

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)







7

MARKET LOADS CONSTRUCTION ENGINEERING REFRIGERATION TANKER MATERIAL GOODS

FRUITS AND FOOD GRAINS BARRELS

BOXES



EXTRA MILEAGE. EXTRA SAVINGS. NOW THAT'S A TRUE WINNER!

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Driver Information System
- Next-Gen features and improved cabin for better productivity
- Better payload capacity
- Heavy duty gearbox

SPECIFICATIONSBLAZO X 35 LIFT AXLEGVW35000 kgEnginemPOWER 7.2 litre FuelSmartMax. Power204.32 kW @ 2200 r/minMax. Torque950 Nm @1100 to 1700 r/minTransmissionEaton 6SSuspension - FrontParabolicSuspension - RearSemi Elliptical Leaf SpringRear AxleSingle reduction, fully floating axle shaftOption 1: 295/90R 20 + 10R20(Tube Radial Mixed)Option 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue@ Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20.50%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmGabinSingle Sleeper (Opt. COWL)HVACOptionalTipper Chassis also available.		
FinalBit and the second se	SPECIFICATIONS	BLAZO X 35 LIFT AXLE
Max. Power204.32 kW @ 2200 r/minMax. Torque950 Nm @1100 to 1700 r/minTransmissionEaton 6SSuspension - FrontParabolicSuspension - RearSemi Elliptical Leaf SpringRear AxleSingle reduction, fully floating axle shaftOption 1: 295/90R 20 + 10R20Tyres(Tube Radial Mixed)Option 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20.50%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmHVACOptional	GVW	35000 kg
Max. Torque950 Nm @1100 to 1700 r/minTransmissionEaton 6SSuspension - FrontParabolicSuspension - RearSemi Elliptical Leaf SpringRear AxleSingle reduction, fully floating axle shaftOption 1: 295/90R 20 + 10R20Tyres(Tube Radial Mixed)Option 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20.50%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmHVACOptional	Engine	mPOWER 7.2 litre FuelSmart
TransmissionEaton 6SSuspension - FrontParabolicSuspension - RearSemi Elliptical Leaf SpringRear AxleSingle reduction, fully floating axle shaftMarkedOption 1: 295/90R 20 + 10R20Tyres(Tube Radial Mixed)Option 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20.50%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmGrabinSingle Sleeper (Opt. COWL)HVACOptional	Max. Power	204.32 kW @ 2200 r/min
Suspension - FrontParabolicSuspension - RearSemi Elliptical Leaf SpringRear AxleSingle reduction, fully floating axle shaftTyresOption 1: 295/90R 20 + 10R20Tyres(Tube Radial Mixed)Option 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20.50%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmGabinSingle Sleeper (Opt. COWL)HVACOptional	Max. Torque	950 Nm @1100 to 1700 r/min
Suspension - RearSemi Elliptical Leaf SpringRear AxleSingle reduction, fully floating axle shaftTyresOption 1: 295/90R 20 + 10R20 (Tube Radial Mixed) Option 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20.50%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmGabinSingle Sleeper (Opt. COWL)HVACOptional	Transmission	Eaton 6S
Rear AxleSingle reduction, fully floating axle shaftTyresOption 1: 295/90R 20 + 10R20Tyres(Tube Radial Mixed)Option 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20.50%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmHVACOptional	Suspension - Front	Parabolic
TyresOption 1: 295/90R 20 + 10R20 (Tube Radial Mixed) Option 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20.50%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmGrabinSingle Sleeper (Opt. COWL)HVACOptional	Suspension - Rear	Semi Elliptical Leaf Spring
Tyres(Tube Radial Mixed) Option 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20.50%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmGrabinSingle Sleeper (Opt. COWL)HVACOptional	Rear Axle	Single reduction, fully floating axle shaft
Note National Matrix Colspan="2">Note National Nat		Option 1: 295/90R 20 + 10R20
Fuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20.50%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmCabinSingle Sleeper (Opt. COWL)HVACOptional	Tyres	(Tube Radial Mixed)
AdBlue® Tank Capacity42 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20.50%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmCabinSingle Sleeper (Opt. COWL)HVACOptional		Option 2: 295/80R 22.5 Tubeless
Chassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20.50%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmCabinSingle Sleeper (Opt. COWL)HVACOptional	Fuel Tank Capacity	330 litre
Max Speed80 km/h (With Speed Limiter)Gradeability20.50%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmCabinSingle Sleeper (Opt. COWL)HVACOptional	AdBlue® Tank Capacity	42 litre
Gradeability20.50%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmCabinSingle Sleeper (Opt. COWL)HVACOptional	Chassis Cross Section (mm)	285 x 70 x 8.5
SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/Load body length(CBC)5600 mm / 7315 mmCabin6100 mm / 8534 mmCabinSingle Sleeper (Opt. COWL)HVACOptional	Max Speed	80 km/h (With Speed Limiter)
Brakes Full Air S Cam, 10 Bar System, ABS System Voltage 24V (2x12) Wheelbase/Load body length(CBC) 5600 mm / 7315 mm Cabin 6100 mm / 8534 mm Cabin Single Sleeper (Opt. COWL) HVAC Optional	Gradeability	20.50%
System Voltage 24V (2x12) Wheelbase/Load body length(CBC) 5600 mm / 7315 mm Cabin 6100 mm / 8534 mm Cabin Single Sleeper (Opt. COWL) HVAC Optional	Steering	Tilt & Telescopic Power Steering
Wheelbase/Load body length(CBC) 5600 mm / 7315 mm Cabin 5100 mm / 8534 mm Cabin Single Sleeper (Opt. COWL) HVAC Optional	Brakes	Full Air S Cam, 10 Bar System, ABS
Wheelbase/Load body length(CBC) 6100 mm / 8534 mm Cabin Single Sleeper (Opt. COWL) HVAC Optional	System Voltage	24V (2x12)
6100 mm / 8534 mm Cabin Single Sleeper (Opt. COWL) HVAC Optional	Wheelbase/Load body length(CBC)	5600 mm / 7315 mm
HVAC Optional		6100 mm / 8534 mm
	Cabin	Single Sleeper (Opt. COWL)
Tipper Chassis Tipper CBC Chassis also available.	HVAC	Optional
	Tipper Chassis	Tipper CBC Chassis also available.

#Accessories shown may not be part of standard fitment AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)

PERFECT FOR





RI & 70





DELIVERS EXTRA LOADS OF COAL. **DELIVERS EXTRA MILEAGE.**

• 7.2 litre, high torque, low r/min engine. • mPOWER FuelSmart engine with multimode switches Guaranteed better fuel efficiency

• Driver Information System

• Next-Gen features and improved cabin for better productivity • Better payload capacity

SPECIFICATIONS	BLAZO X 35 8x4 TIPPER
GVW	35000 kg
Engine	mPower 7.2 litre FuelSmart
Max. Power	204.32 kW @ 2200 r/min
Max. Torque	950 Nm @ 1100 - 1700 r/min
Gear box	Eaton 9 Speed Gear Box
	Optional: Eaton 6 Speed Gear Box
Gradeability	35% (with 9S)/24% (with 6S)
Clutch (Diameter)	395 mm Diaphragm type, single plate dry clutch
Suspension - Front	Parabolic Leaf Springs with shock absorbers
Suspension - Rear	Inverted Leaf Bogie Suspension
	Optional: Bell Crank Suspension
Rear Axle	RAR: 4.89. Tandem Banjo Type Single Reduction
Wheel & Tyres	Option 1: 11x20-16PR
Wheel & Tyres	Option 2: 295/ 95D 20 + 10x20 (Tube Type Mixed)
Fuel Tank	200 litre
AdBlue® Tank Capacity	42 litre
Chassis Frame (mm)	285 x 70 x 8.5 with 5 mm full length reinforcement
Max. Speed	60 km/h (With Speed Limiter)
Steering	Hydraulic Power assisted tilt & telescopic
Brakes	Full Air S Cam Dual Circuit Pneumatic Brake
Diakos	10 Bar System with ABS
System Voltage	24 V (12 x 2)
Wheel Base	5300 WB (Non-Bogie Suspension)
WHEEL Dase	5330 WB (Bogie Suspension)
Cabin	Day Cabin (AC Optional)
Ground Clearance	250 mm
Tipping Body Size	18 Cum Box Body
	22 Cum Box Body

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)

PERFECT FOR



CONSTRUCTION MATERIAL



PERFECT FOR FUEL ECONOMY. **PERFECT FOR EXTRA LOADS. ESPECIALLY CEMENT TRANSPORTATION.**

• 7.2 litre, high torque, low r/min engine.

- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Lower TCD for better manoeuvrability
- Tag axle for increased tyre life
- Driver Information System
- Next-Gen features and improved cabin for better productivity
- Better payload capacity

SPECIFICATIONSBLAZO X 42 TAG AXLEGVW42000 kgEnginemPOWER 7.2 litre FuelSmartMax. Power204.322 kW @ 2200 r/minMax. Torque950 Nm @ 1100 - 1700 r/minTransmissionEaton 6SSuspension FrontSemi Elliptical Leaf SpringSuspension RearSemi Elliptical Leaf SpringRear AxleSingle reduction, fully floating axle shaftTyresOption 1: 295/90R 20 + 10R20 (Tube Radial Mixed)Tyres330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)HVACOptional		
EnginemPOWER 7.2 litre FuelSmartMax. Power204.322 kW @ 2200 r/minMax. Torque950 Nm @ 1100 - 1700 r/minTransmissionEaton 6SSuspension FrontSemi Elliptical Leaf SpringSuspension RearSemi Elliptical Leaf SpringRear AxleSingle reduction, fully floating axle shaftTyresOption 1: 295/90R 20 + 10R20 (Tube Radial Mixed)TyresOption 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	SPECIFICATIONS	BLAZO X 42 TAG AXLE
Interfact of accentationMax. Power204.322 kW @ 2200 r/minMax. Torque950 Nm @ 1100 - 1700 r/minTransmissionEaton 6SSuspension FrontSemi Elliptical Leaf SpringSuspension RearSemi Elliptical Leaf SpringRear AxleSingle reduction, fully floating axle shaftTyresOption 1: 295/90R 20 + 10R20 (Tube Radial Mixed)Tyres0ption 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	GVW	42000 kg
Max. Torque950 Nm @ 1100 - 1700 r/minTransmissionEaton 6SSuspension FrontSemi Elliptical Leaf SpringSuspension RearSemi Elliptical Leaf SpringRear AxleSingle reduction, fully floating axle shaftTyresOption 1: 295/90R 20 + 10R20 (Tube Radial Mixed)Tyres330 litreAdBlue® Tank Capacity330 litreAdBlue® Tank Capacity285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	Engine	mPOWER 7.2 litre FuelSmart
TransmissionEaton 6SSuspension FrontSemi Elliptical Leaf SpringSuspension RearSemi Elliptical Leaf SpringRear AxleSingle reduction, fully floating axle shaftTyresOption 1: 295/90R 20 + 10R20 (Tube Radial Mixed)Tyres0ption 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	Max. Power	204.322 kW @ 2200 r/min
Suspension FrontSemi Elliptical Leaf SpringSuspension RearSemi Elliptical Leaf SpringRear AxleSingle reduction, fully floating axle shaftTyresOption 1: 295/90R 20 + 10R20 (Tube Radial Mixed)TyresOption 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	Max. Torque	950 Nm @ 1100 - 1700 r/min
Suspension RearSemi Elliptical Leaf SpringRear AxleSingle reduction, fully floating axle shaftTyresOption 1: 295/90R 20 + 10R20 (Tube Radial Mixed)TyresOption 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Cradeability20%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	Transmission	Eaton 6S
Rear AxleSingle reduction, fully floating axle shaftTyresOption 1: 295/90R 20 + 10R20 (Tube Radial Mixed)Fuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	Suspension Front	Semi Elliptical Leaf Spring
Noar FailsOnly for for for for for the start of the start	Suspension Rear	Semi Elliptical Leaf Spring
Tyres(Tube Radial Mixed)Option 2: 295/80R 22.5 TubelessFuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	Rear Axle	Single reduction, fully floating axle shaft
Fuel Tank Capacity330 litreAdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	Tyres	
AdBlue® Tank Capacity42 litreChassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)		Option 2: 295/80R 22.5 Tubeless
Chassis Cross Section (mm)285 x 70 x 8.5Max Speed80 km/h (With Speed Limiter)Gradeability20%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	Fuel Tank Capacity	330 litre
Max Speed80 km/h (With Speed Limiter)Gradeability20%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	AdBlue® Tank Capacity	42 litre
Gradeability20%SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	Chassis Cross Section (mm)	285 x 70 x 8.5
SteeringTilt & Telescopic Power SteeringBrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	Max Speed	80 km/h (With Speed Limiter)
BrakesFull Air S Cam, 10 Bar System, ABSSystem Voltage24V (2x12)Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	Gradeability	20%
System Voltage24V (2x12)Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	Steering	Tilt & Telescopic Power Steering
Wheelbase/6100 mm / 8534 mmLoad Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	Brakes	Full Air S Cam, 10 Bar System, ABS
Load Body Length CBC6650 mm / 9298 mmRAR5.29CabinSingle Sleeper (Opt. COWL)	System Voltage	24V (2x12)
RAR 5.29 Cabin Single Sleeper (Opt. COWL)	Wheelbase/	6100 mm / 8534 mm
Cabin Single Sleeper (Opt. COWL)	Load Body Length CBC	6650 mm / 9298 mm
	RAR	5.29
HVAC Optional	Cabin	Single Sleeper (Opt. COWL)
	HVAC	Optional

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)

PERFECT FOR



CONSTRUCTION MATERIAL









BUILT FOR EXTRA MILEAGE NO MATTER HOW YOU BUILD IT.

• 7.2 litre, high torque, low r/min engine. • mPOWER FuelSmart engine with multimode switches

Guaranteed better fuel efficiency

• Driver Information System

• Next-Gen features and improved cabin for better productivity

• Better payload capacity

Cowl also available in 28T and 35T

SPECIFICATIONS	BLAZO X 42 TAG AXLE COWL	
GVW	42000 kg	
Engine	mPOWER 7.2 litre FuelSmart	
Max. Power	204.32 kW @ 2200 r/min	
Max. Torque	950 Nm @ 1100-1700 r/min	
Transmission	Eaton 6S	
Suspension Front	Semi Elliptical Leaf Spring	
Suspension Rear	Semi Elliptical Leaf Spring	
Rear Axle	Single reduction, fully floating axle shaft	
Tyres	Option 1: 295/90R 20 + 10R20 (Tube Radial Mixed)	
	Option 2: 295/80R 22.5 Tubeless	
Fuel Tank Capacity	330 litre	
AdBlue® Tank Capacity	42 litre	
Chassis Cross Section (mm)	285 x 70 x 8.5	
Max Speed	80 km/h (With Speed Limiter)	
Gradeability	20%	
Steering	Tilt & Telescopic Power Steering	
Brakes	Full Air S Cam, 10 Bar System, ABS	
System Voltage	24V (2x12)	
Wheelbase/	6100 mm / 9005 mm	
Load Body Length	6650 mm / 9795 mm	
RAR	5.29	
HVAC	Optional	

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)

PERFECT FOR





GIVE YOUR BUSINESS THAT EXTRA PUSH.

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Driver Information System
- Next-Gen features and improved cabin for better productivity
- Better payload capacity

SPECIFICATIONS	BLAZO X 42 PUSH	ER AXLE	
GVW	42000 kg		
Engine	mPOWER 7.2 litre	FuelSmart	
Transmission	6 Forward Synchro	mech, 1 Reverse	
Suspension Front	Parabolic Leaf Sprin	g with Shock Absorber	
Suspension Rear	Semi Elliptical Leaf	Spring	
Max. Power	204.32 kW @ 2200) r/min	
Max. Torque	950 Nm @1100 to	1700 r/min	
Max Geared Speed	80 km/h (with Spe	ed Limiter)	
Gradeability	20%		
Chassis Frame	Ladder type, Unifo	Ladder type, Uniform C - Section	
Steering	Tilt & telescopic Power Steering		
Brakes	Full air S-Cam, 10 bar System		
Fuel Tank	330 litre		
AdBlue® Tank Capacity	42 litre		
	Option 1: 295/90R 20 + 10R20		
Wheels & Tyres	(Tube Radial Mixed)		
	Option 2: 295/80R	22.5 Tubeless	
System Voltage	24V (2 x 12V)		
Variants	Cabin	Cowl	
Wheel Base	6650 mm	6650 mm	
Load Body Length	8534 mm	9005 mm	
Load Body Options	CBC*	Cowl*	
Cabin	Single Sleeper		
Air Conditioning	Optional		
Tipper Chassis	Tipper CBC Chassis	with	
	PTO+Pump also available.		
* Only Avl in CBC & CWC		WC	

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)

PERFECT FOR







BLAZD SWB

ASSURED EXTRA SAVINGS EVERY TIME YOU DELIVER AUTOMOTIVE.

7.2 litre, high torque, low r/min engine.
mPower FuelSmart engine with multimode switches
Guaranteed better fuel efficiency
Driver Information System
Next-Gen features enriched cabin for better productivity
Better payload capacity

SPECIFICATIONS	BLAZO X 40 SWB
GVW	39500 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	204.32 kW @ 2200 r/min
Max. Torque	950 Nm @ 1100-1700 r/min
Gear Box	Eaton 6S
Clutch (Diameter)	395 mm
Tyres	295/90R 20 + 10R20 (Tube Radial Mixed)
Gradeability	18.1%
Max Speed	80 km/h (With Speed Limiter)
TCD	12.3 m
Wheelbase	3075 mm
Overall Length	5510 mm
Brake Pressure	10 Bar
Brake Width Rear	220 mm
Frame (mm)	285 X 70 X 8.5
5th Wheel Coupling (Diameter)	2 mm
King Pin Offset (mm)	482 - Standard
	347-550@ 68 pitch- Adjustable
Unladen Wt.	6005 kg
Fuel Tank Capacity	330 litre
AdBlue® Tank Capacity	42 litre
HVAC	Optional

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)

PERFECT FOR





AUTO & TWO WHEELER CARRIERS

CONTAINER

OIL & GAS TANKER



EFFORTLESSLY MOVES CONTAINERS AND SAVES EXTRA FUEL.

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Driver Information System
- Next-Gen features and improved cabin for better productivity
- Better payload capacity

SPECIFICATIONS	BLAZO X 46
GVW	45500 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	204.32 kW @ 2200 r/min
Max. Torque	950 Nm @ 1100-1700 r/min
Gear Box	Eaton 6S
Clutch (Diameter)	395 mm
Rear Axle	Single reduction, fully floating axle shaft
Tyres	295/90R 20 + 10R20 (Tube Radial Mixed)
Fuel Tank Capacity	330 litre
AdBlue® Tank Capacity	42 litre
Gradeability	17.5%
Chassis Cross Section (mm)	285 X 70 X 8.5
Max. Speed	80 km/h (With Speed Limiter)
Steering	Tilt and Telescopic Power Steering
System Voltage	24V (2 X12 V)
Brake Pressure	10 Bar
Brake Width Rear	220 mm
5 th Wheel Coupling (Diameter)	50.8 mm
Cabin	Single Sleeper
HVAC	Optional
Wheelbase	3600 mm
	* Also Avl in 9s gearbox

AdBlue® is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)

PERFECT FOR









EXTRA MILEAGE, EXTRA PAYLOAD, EXTRA PROFITS.

7.2 litre, high torque, low r/min engine.
mPOWER FuelSmart engine with multimode switches.
More mileage guaranteed
Next-gen features and improved cabin for better productivity.
Driver Information System

ATTRIBUTE	SPECIFICATION
Model	BLAZO X 49
GVW	49000 kg
Max Power	204.32 kW @ 2200 ± 50 r/min
Max Torque	950 Nm @ 1100 – 1700 r/min
Wheel Base	6770 mm
Overall Length	11325 mm / 11965 mm
Overall Width CBC	2490 mm
Loading Span (Sleeper Cab)	8839.2 mm / 9448.8 mm
Ground Clearance (Rear Axle)	249 mm
Clutch (Diameter)	395 mm
Gear Box	Eston ES 11109 9S (8 Forward, 1 Reverse & 1 Crawler)
Rim Size	190.5 mm x 509 mm
Tyre	295/90 R 20 + 10R20 (Tube Radial Mixed)
Frame Section (mm)	285 x 70 x 8.5
Reinforcement	Yes (Inner & Outer)
Front Suspension	Parabolic
Rear Suspension	Semi Elliptical Leaf Spring
Steering	Hydraulic Power Assisted tiltable and telescopic
	Front - 410 X 200 (mm)
Brakes	Rear - 410 X 220 (mm)
	Lift Axle - 410 x 180 (mm)
Fuel Tank Capacity	330 litre
Ad-Blue Tank Capacity	42 litre
Cab Type	Single Sleeper
HVAC	Optional
Max Geared Speed	80 km/h
Max Gradeability % (Degree)	22% with Crawler @ rated GVW

AdBlue® is a registered trade name of the Verband der Automobilindustrie e.V. (VDA)







A BIG HEART FOR BIG CARGO AND EXTRA MILEAGE.

- 7.2 litre, high torque, low r/min engine.
- mPOWER FuelSmart engine with multimode switches
- Guaranteed better fuel efficiency
- Driver Information System
- Next-Gen features and improved cabin for better productivity
- Better payload capacity

SPECIFICATIONS	BLAZO X 55
GVW	55000 kg
Engine	mPOWER 7.2 litre FuelSmart
Max. Power	204.32 kW @ 2200 r/min
Max. Torque	950 Nm @ 1100-1700 r/min
Transmission	ZF 9S with Crawler
Suspension Front	Parabolic Leaf Spring
Suspension Rear	Semi Elliptical Leaf Spring / Bogie (Opt.)
Rear Axle	Live Banjo type, single reduction, fully floating axle shafts
Tyres	11.00R20 16 PR
5 th Wheel Coupling (Diameter)	2 mm
Fuel Tank Capacity	330 litre
AdBlue® Tank Capacity	42 litre
Chassis Cross Section (mm)	285 X 70 X 8.5 with 5 mm internal reinforcement
Max Speed	80 km/h (With Speed Limiter)
Gradeability	19%
Steering	Tilt and Telescopic Power Steering
Brakes	Full Air S Cam, 10 Bar System, ABS
System Voltage	24V (2 X12 V)
Wheelbase	4100 mm(Non Bogie), 4050 mm(Bogie)
Cabin	Single Sleeper
HVAC*	AC Optional

NOW also available with Bogie Suspension.

*Blower is standard Fitment

 $\mathsf{AdBlue}^{\texttt{o}}$ is a registered trade name of the Verband der Automobilindustrie e. V. (VDA)

PERFECT FOR







MORE SAFETY, MORE COMFORT, MORE TRIPS, MORE PROFITS.

Mahindra BLAZO X is one of the most comfortable trucks in India. It's built with the knowledge that drivers are the actual wheels of Indian transport and they spend half their lives inside the cabin. Which is why this truck comes with a host of features to make them comfortable and safe. Like the 4-point suspended cabin that truly enhances driving comfort. And the controls that are ergonomically located to reduce effort inside the cabin.



The tilt & telescopic steering allows drivers to adjust the steering to their convenience. A wide windshield and large rear view mirrors provide greater visibility. And the anti-lock braking system ensures greater braking control even at higher speeds. In other words, this is a truck built for safe, fatigue-free driving which means fewer stoppages by drivers, more distance covered in less time and improved turnaround times.



The new Mahindra BLAZO X range also comes with a car-like Driver Information System (DIS) that gives critical vehicle information to the driver in real time. Apart from the engine RPM, temperature, speed and fuel levels, it has brake pressure, trip kilometre, diesel consumption per kilometre, battery voltage, service reminders and other important details.



6-SPEED GEAR SHIFT

9-SPEED GEAR SHIFT



ANTI-LOCK BRAKING SYSTEM



COMFORTABLE SLEEPER BERTHS

COMFORTABLE 3-WAY ADJUSTABLE SEATS

Note: In view of our policy of continuously improving our products, we reserve the right to alter specifications or design without prior notice and without liability. Illustrations do not necessarily show the vehicle in its standard form. Accessories shown are not part of the standard equipment. Colour shades shown may vary. E. & O.E.









We've anticipated the most unpredictable conditions while building our trucks. That's why these trucks have several features that deliver solid performance consistently. Like the TAG/PUSHER LIFT AXLE that reduces wear and tear of tyres no matter the load, no matter the road. A **BOGIE SUSPENSION** to help you negotiate different load and terrain conditions. A clutch with a 395 mm diameter and a heavy-duty gearbox to ensure safe and effortless driving. A strong chassis, reliable S-cam airbrakes with 10 bar pressure and rear leaf suspension make this vehicle extremely sturdy and reliable. A heavy-duty front axle has been fitted in for trouble-free operations for many years.

The design of all these aggregates is such that they are durable, deliver consistent performance and require minimal maintenance.





EFFECTIVE BRAKING SYSTEM

TO OUTPERFORM, YOU HAVE TO OUTBUILD FIRST.





The Greenfield Plant in Chakan, one of the most advanced manufacturing plants in India, is where Mahindra trucks are built. Massive in scale, the Chakan Plant is also renowned for its attention to detail. Each vehicle is put together with robotic precision and utmost care to ensure the highest standard of reliability. A young, enthusiastic and very well-trained group of technicians ensure the quality of the vehicles that roll out from this plant. While its cutting-edge technology and sustainable practices make it a plant that's ready to give the world generations of outperforming vehicles.

ABOUT MAHINDRA

The Mahindra Group focuses on enabling people to 'Rise' through solutions that power mobility, drive rural prosperity, enhance urban lifestyles and increase business efficiency.

A USD 20.7 billion multinational group based in Mumbai, India, Mahindra provides employment opportunities to over 200,000 people in over 100 countries. The Group operates in the key industries that drive economic growth, enjoying a leadership position in tractors, utility vehicles, information technology, financial services and vacation ownership. In Addition, Mahindra enjoys a strong presence in the agribusiness, aerospace, components, consulting services, defence, energy, industrial equipment, logistics, real estate, retail, steel, commercial vehicles and two-wheeler industries.

In 2014, Mahindra featured on the Forbes Global 2000, a comprehensive listing of the world's largest, most powerful public companies, as measured by revenue, profit, assets and market value. The Mahindra Group also received the Financial Times 'Boldness in Business' Award in the 'Emerging Markets' category in 2013.





GIVE YOUR BUSINESS EXTRA PROFITS WITH OUR AWARD WINNING TRUCKS.

2011: CV and HCV of the year - 25 tonne
2012: Prime Mover of the year - 40 tonne
2013: Haulage Tipper of the year - TORRO 31
2014: Cargo Carrier of the year - TORRO 25
2015: HCV Rigid Cargo Carrier of the year - TRUXO 37
2017: CV and HCV of the year - BLAZO 37
2018: MHCV Tipper of the year - BLAZO 25
2019: HCV Rigid Cargo Carrier - BLAZO X 37 Pusher Axle



INITIATIVES THAT GIVE EXTRA POWER TO INDIAN TRANSPORT.



TOUR DE CHAKAN: This is a one-of-its-kind initiative that presents customers a unique tour of Mahindra's state-of-the-art Chakan plant. So they can see the entire truck manufacturing process, the technology and quality control that goes into making Mahindra's trucks the outperforming machines that they truly are.



D-EXCEL: MTB is working with Indian Institute of Management Ahmedabad, in developing a program to provide guidance, new thinking and techniques to help transporters to improve their business and cover specific areas ranging from profitability to better customer experience, data driven decisions, people management etc.



MAHINDRA TRANSPORT EXCELLENCE AWARDS: The Mahindra Transport Excellence Awards turn the spotlight on excellence in the transport industry. Over the years, the awards have consistently widened their scope by adding new categories to recognise and reward excellence in many more areas of Indian transport.



MPOWER: Launched in association with IIM - Ahmedabad as the Knowledge Partner, MPOWER helps young professionals in the transport industry meet today's challenges and take their business to new heights. The programme has received widespread appreciation in the Indian transport industry and has seen over 200 young transport entrepreneurs completing the course.



MPOWER WAR ROOM: They say that learning isn't complete till it is actually applied. That's exactly the idea behind the MPOWER WAR ROOM. Through this programme, participants can present how they have applied their MPOWER learning and advanced their family transport businesses. The programme also gives participants an opportunity to learn from each other's experiences and build deeper ties with one another. Also conducted in association with IIM-A, the WAR ROOM has seen two editions and nearly 50 participants.



MPOWER MENTORS SUMMIT: This is a collective learning programme specially designed to empower the mentors of the Indian Trucking Industry. It offers industry veterans a platform to share their views on transport with other fleet owners, seasoned professionals and also interact with the IIM-A faculty to discuss and guide the next generation of transporters.

SAARTHI ABHIYAAN: Staying true to Mahindra's philosophy of 'Rise', Saarthi Abhiyaan, a unique social project was started. It supports truck drivers and their families through health camps, scholarships, driver training programmes and more.

GET MORE MILEAGE OR GIVE THE TRUCK BACK.*



GET BACK ON ROAD IN 48 HOURS. OR GET RS. 1 000.00 PER DAY.*

Here's a service promise like never before. In the unlikely event of a breakdown, we'll get your Mahindra truck working within 48 hours. Or we will pay you Rs. 1 000.00 per day till the truck is back on the road. So go ahead, give your transport business the Mahindra service guarantee.

To know more about the terms of this guarantee, visit www.mahindratruckandbus.com.

Over 96 3S CV dealers (HCV + LCV) and 7 LCV exclusive dealers Our dealerships are equipped with the latest tools, genuine spares and accessories, driver dormitories, fully covered workshops and all the technical know-how on servicing Mahindra Truck and Bus.

120 ASCs. 2900 RSAs. Over 2069 spares dealers

The extensive network of Authorised Service Centres (ASC) and Road Side Assistance points (RSA) gives Mahindra Truck and Bus an impressive service presence. With the added advantage of trained technicians who've been equipped by Mahindra to get your truck back on the road in the shortest possible time.

NOW: India's first multi-lingual, 24X7, on-road assistance This unique helpline makes sure that expert advice and immediate aid is available, anytime and anywhere for Mahindra Truck and Bus. Increased oil change intervals to ensure greater savings With Mahindra trucks you can expect the best in every aspect.

- Even in the oil change intervals. • Gearbox at 120000 km
- Engine at 90000 km
- Rear Axle at 150000 km

COUNTRY-WIDE SPARES

Well-equipped Mobile Service Vans

The Mahindra Truck and Bus service van is a unique highway assistance facility that reaches out to broken down vehicles at any hour and wherever they may be.

Best-in-Class Warranty Package

Our warranty plans are designed to give you complete peace of mind. So that you have a hassle-free truck owning experience and only worry about how to outperform in your business.

Annual Maintenance Contract

MATCHINGT CONTRACTOR OF VEARS OR GLARKIN MATCHING MARKING MARKING CONTRACTOR OF CONTRA

This customisable Annual Maintenance Contract ensures you get the benefit of our competent assistance at very competitive rates for genuine spares and service.

Mobile Workshops

These unique vehicles have been fitted to carry everything a full service station can provide. Including spare parts, tools, trained technicians, a mobile phone and essential documents, ike a job card, invoice, etc.

Easily available genuine Mahindra Truck and Bus oil

Available in a customised pack through IOCL, this is a high-grade oil with long drain intervals that ensures upkeep and optimum performance of aggregates.



For details of this guarantee, please refer to the website www.mahindratruckandbus.com. *Warranty applicable for HCV Range of trucks - For extended warranty please call our representative. This warranty package is not applicable for Tippers, LCV trucks & buses. *Transferable Warranty applicable only on first resale. Conditions apply. Conditions applicable on AMC.

GET A 36-HOUR GUARANTEED TURNAROUND AT OUR WORKSHOPS OR GET Rs. 3 000.00 PER DAY.*





GUARANTEED AVAILABILITY OF 150 FAST MOVING MAINTENANCE PARTS AT MPARTS PLAZA OR ELSE THEY ARE YOURS FOR FREE.*

A unique guarantee for you on 150 maintenance spare parts. If a maintenance spare part you want isn't available at the plaza, then it will be yours for free.



Agra 9917161333, 9917161333 Ahmedabad 9825926184 Bangalore 9945831514 Bhubaneshwar 9937127070 Calicut 9349114037, 0495-4061123 Chandigarh 7986140980 Chennai 9500997460 Cochin 7356333372 Delhi 011-64776605, 9811888106 Gandhidham 9099998027 Gurgaon 9811888106 Guwahati 9957182053 Hubli 9164333460 Hyderabad 9032838386, 7095733344 Indore 0731-2470933, 9425060883 Jaipur 9818107204 Jamshedpur 9835357989, 9471335050 karnal 9812444485 Kolkata 033-22377201, 033-22377202 Lucknow 0639-3317497 Ludhiana 7986297302 Mumbai 8652801639 Nagpur 9850387618, 8390729814 Nasik 7028019409, 9822659645 Patna 7061384040, 9263630820 Pune 9923399209 Raipur 8308724160, 9893053133 Sangagiri 9842753239, 919842878377 Surat 9081005700 9925431436 Udaipur 9772124242 Vijayawada 9490716959, 9848496097 Vishakhapatnam 9440443583, 8008707979

^{*}For details of this guarantee, please refer to the website www.mahindratruckandbus.com.



GET 250 CRITICAL SPARES AT OUR DEALERSHIPS OR GET THEM FREE.*

*For details of this guarantee, please refer to the website www.mahindratruckandbus.com.

OUR SERVICE WILL REACH YOU IN 2 HOURS ON THE MUMBAI-DELHI CORRIDOR OR IN 4 HOURS ON THE KASHMIR-KANYAKUMARI CORRIDOR OR WE WILL GIVE YOU RS. 500.00* PER HOUR.

^{*}For details of this guarantee, please refer to the website www.mahindratruckandbus.com.

maninara

81 . 70

BLAZUX-

SER





Mahindra brings you **MCOVER**, an insurance policy that gives you exactly what it says. That comes to your aid in every situation, especially when you need it the most.

Mahindra Makes You Feel 3 Times More Secure.

- (0) Cashless and **Zero** Depreciation Settlement*
- New vehicle **replacement** in case of total loss*
- Compensation for loss of income



FIRST, MILEAGE GUARANTEE. THEN, SERVICE AND SPARES GUARANTEES. NOW, A 6 YEARS OR 6 Lakh km WARRANTY. AND UP TO 30% LOWER SERVICE EXPENSE.

LOWEST LUBE PRICES Name Engine Oil Gear Oil Axle Oil Steering O





NAVA MAUINOD



* To know more, visit www.mahindratruckandbus.com # Terms and Conditions apply. The prices mentioned are for Apr'18 and subject to change.

	Old Rs. Per litre	New Rs. Per litre
	257	180
	279	200
	251	230
Dil	241	220

CLASS-LEADING/HIGHEST DRAIN INTERVAL

re	Name	Old Drain Interval (km)	New Drain Interval (km)
	Engine Oil	80000	90000
	Gear Oil	120000	120000
	Axle Oil	120000	150000
	Clutch Oil	30000	60000

YEARS OR 6 Lakh km Transferrable Warranty*

YEARS OR 6000 Hours For Tippers[#]

Whichever is earlier.

EARN THE MOST, SPEND THE LEAST. **GET THE HIGHEST EARNINGS** AT THE LOWEST EXPENSES.

VISIT MAHINDRA TRUCK AND BUS DEALERSHIPS FOR MORE DETAILS.

2 Agra 3 Ahm 4 Ajm 5 Allal 6 Alwa 7 Amb 8 Amb 9 Asar 10 Aura 11 Bath 12 Belg 13 Bella 14 Bhar 15 Bhiw 16 Bhop	yartala gra medabad mer lahabad war nbala mbikapur ansol urangabad thinda elgaum elgaum elary naruch	Dealer NameTarasankar Motor Pvt. Ltd.N.R.L. Motors Pvt. Ltd.Siddheswari MotorsGreenland Automobiles Pvt. Ltd.Mehrotra Automobiles Pvt. Ltd.J.S. Fourwheel Motors Pvt. Ltd.Ambala Automobile India Ltd.Tiwari MotorsGNB Motors Pvt. Ltd.Ratnapprabbha MotorsGarg MotorsKarnataka Agro EnterprisesShree Malleswara AutomotiveVimco Automotive	Dealership AddressChinaihani, Airport Road, Agartala, Tripura (West) - 799 009Khasra No. 235 to 240, Village Chalesar, Mauja Kuberpur, Firozabad Road, Near PNC Cold Storage, Agra, Uttar Pradesh - 282 006Block No. 134, Sarkhej Sanand Road, Near Noble Palace Hotel, Shantipura, Ahmedabad - 382 210Opposite Gail Plant, Village Gadri, NH 79, The Nasirabad, District Ajmer, Rajasthan - 305 601NH 27 Rewa Road, Milestone 21, Vill-kanti, Near Gauhaniya Crossing, Allahabad - 212 107Showroom: JS Fourwheel Motors Pvt. Ltd., Delhi Road, Alwar Workshop: C11 Warehouse Scheme, Opposite Jhankar Hotel, AlwarVillage Khuda Khurd, Ambala Jagadhari Highway, Ambala, Haryana - 133 001Near Kendariya Vidhyalaya, M.G. Road, Ambikapur, Surguja, Chhattisgarh - 497 001GNB House, G.T. Road, P.O. Ningha, Asansol, West Bengal - 713 370M's Ratnapprabbha Motors, Gut No. 72/1, Daulatabad "T" Point, Behind Highway Police Chowki, Sharnapur, Aurangabad, Maharashtra - 431 002Opposite Bagwani Bhawan, Near Petrol Pump, Vpo. Jodhpur Romana, Dabawali Road, Bathinda - 151 0011157/2, Airport Road, Maruti Nagar, Belgaum, Karnataka - 590 016Opposite Industrial Area, New Bypass, Ananthapur Road, Bellary, Karnataka - 583 101, T: 08392 260035/260224
2 Agra 3 Ahm 4 Ajm 5 Allal 6 Alwa 7 Amb 8 Amb 9 Asar 10 Aura 11 Bath 12 Belg 13 Bella 14 Bhar 15 Bhiw 16 Bhop	gra	N.R.L. Motors Pvt. Ltd. Siddheswari Motors Greenland Automobiles Pvt. Ltd. Mehrotra Automobiles Pvt. Ltd. J.S. Fourwheel Motors Pvt. Ltd. Ambala Automobile India Ltd. Tiwari Motors GNB Motors Pvt. Ltd. Ratnapprabbha Motors Garg Motors Karnataka Agro Enterprises Shree Malleswara Automotive	Khasra No. 235 to 240, Village Chalesar, Mauja Kuberpur, Firozabad Road, Near PNC Cold Storage, Agra, Uttar Pradesh - 282 006Block No. 134, Sarkhej Sanand Road, Near Noble Palace Hotel, Shantipura, Ahmedabad - 382 210Opposite Gail Plant, Village Gadri, NH 79, The Nasirabad, District Ajmer , Rajasthan - 305 601NH 27 Rewa Road, Milestone 21, Vill-kanti, Near Gauhaniya Crossing, Allahabad - 212 107Showroom: JS Fourwheel Motors Pvt. Ltd., Delhi Road, Alwar Workshop: C11 Warehouse Scheme, Opposite Jhankar Hotel, AlwarVillage Khuda Khurd, Ambala Jagadhari Highway, Ambala, Haryana - 133 001Near Kendariya Vidhyalaya, M.G. Road, Ambikapur, Surguja, Chhattisgarh - 497 001GNB House, G.T. Road, P.O. Ningha, Asansol, West Bengal - 713 370M/s Ratnapprabbha Motors, Gut No. 72/1, Daulatabad "T" Point, Behind Highway Police Chowki, Sharnapur, Aurangabad, Maharashtra - 431 002Opposite Bagwani Bhawan, Near Petrol Pump, Vpo. Jodhpur Romana, Dabawali Road, Bathinda - 151 0011157/2, Airport Road, Maruti Nagar, Belgaum, Karnataka - 590 016
3Ahm4Ajm5Allal6Alwa7Amb8Amb9Asar10Aura11Bath12Belg13Bella14Bhai15Bhiv16Bhoj	medabad mer lahabad war nbala nbikapur ansol urangabad thinda thinda tlgaum tlary aaruch	Siddheswari Motors Greenland Automobiles Pvt. Ltd. Mehrotra Automobiles Pvt. Ltd. J.S. Fourwheel Motors Pvt. Ltd. Ambala Automobile India Ltd. Tiwari Motors GNB Motors Pvt. Ltd. Ratnapprabbha Motors Garg Motors Karnataka Agro Enterprises Shree Malleswara Automotive	Block No. 134, Sarkhej Sanand Road, Near Noble Palace Hotel, Shantipura, Ahmedabad - 382 210 Opposite Gail Plant, Village Gadri, NH 79, The Nasirabad, District Ajmer , Rajasthan - 305 601 NH 27 Rewa Road, Milestone 21, Vill-kanti, Near Gauhaniya Crossing, Allahabad - 212 107 Showroom: JS Fourwheel Motors Pvt. Ltd., Delhi Road, Alwar Workshop: C11 Warehouse Scheme, Opposite Jhankar Hotel, Alwar Village Khuda Khurd, Ambala Jagadhari Highway, Ambala, Haryana - 133 001 Near Kendariya Vidhyalaya, M.G. Road, Ambikapur, Surguja, Chhattisgarh - 497 001 GNB House, G.T. Road, PO. Ningha, Asansol, West Bengal - 713 370 <i>M</i> /s Ratnapprabbha Motors, Gut No. 72/1, Daulatabad "T" Point, Behind Highway Police Chowki, Sharnapur, Aurangabad, Maharashtra - 431 002 Opposite Bagwani Bhawan, Near Petrol Pump, Vpo. Jodhpur Romana, Dabawali Road, Bathinda - 151 001 1157/2, Airport Road, Maruti Nagar, Belgaum, Karnataka - 590 016
4Ajm5Allal6Alwa7Amb8Amb9Asar10Aura11Bath12Belg13Bella14Bhai15Bhiv16Bhop	mer lahabad war nbala nbikapur ansol urangabad thinda elgaum elgaum elary haruch	Greenland Automobiles Pvt. Ltd. Mehrotra Automobiles Pvt. Ltd. J.S. Fourwheel Motors Pvt. Ltd. Ambala Automobile India Ltd. Tiwari Motors GNB Motors Pvt. Ltd. Ratnapprabbha Motors Garg Motors Karnataka Agro Enterprises Shree Malleswara Automotive	Opposite Gail Plant, Village Gadri, NH 79, The Nasirabad, District Ajmer , Rajasthan - 305 601 NH 27 Rewa Road, Milestone 21, Vill-kanti, Near Gauhaniya Crossing, Allahabad - 212 107 Showroom: JS Fourwheel Motors Pvt. Ltd., Delhi Road, Alwar Workshop: C11 Warehouse Scheme, Opposite Jhankar Hotel, Alwar Village Khuda Khurd, Ambala Jagadhari Highway, Ambala, Haryana - 133 001 Near Kendariya Vidhyalaya, M.G. Road, Ambikapur, Surguja, Chhattisgarh - 497 001 GNB House, G.T. Road, P.O. Ningha, Asansol, West Bengal - 713 370 <i>M/s</i> Ratnapprabbha Motors, Gut No. 72/1, Daulatabad "T" Point, Behind Highway Police Chowki, Sharnapur, Aurangabad, Maharashtra - 431 002 Opposite Bagwani Bhawan, Near Petrol Pump, Vpo. Jodhpur Romana, Dabawali Road, Bathinda - 151 001 1157/2, Airport Road, Maruti Nagar, Belgaum, Karnataka - 590 016
5Allah6Alwa7Anta8Anta9Asar10Aura11Bath12Belg13Bella14Bhai15Bhiw16Bhop	ahabad war nbala nbikapur ansol urangabad thinda dgaum dlary aruch	Mehrotra Automobiles Pvt. Ltd. J.S. Fourwheel Motors Pvt. Ltd. Ambala Automobile India Ltd. Tiwari Motors GNB Motors Pvt. Ltd. Ratnapprabbha Motors Garg Motors Karnataka Agro Enterprises Shree Malleswara Automotive	NH 27 Rewa Road, Milestone 21, Vill-kanti, Near Gauhaniya Crossing, Allahabad - 212 107 Showroom: JS Fourwheel Motors Pvt. Ltd., Delhi Road, Alwar Workshop: C11 Warehouse Scheme, Opposite Jhankar Hotel, Alwar Village Khuda Khurd, Ambala Jagadhari Highway, Ambala, Haryana - 133 001 Near Kendariya Vidhyalaya, M.G. Road, Ambikapur, Surguja, Chhattisgarh - 497 001 GNB House, G.T. Road, PO. Ningha, Asansol, West Bengal - 713 370 M/s Ratnapprabbha Motors, Gut No. 72/1, Daulatabad "T" Point, Behind Highway Police Chowki, Sharnapur, Aurangabad, Maharashtra - 431 002 Opposite Bagwani Bhawan, Near Petrol Pump, Vpo. Jodhpur Romana, Dabawali Road, Bathinda - 151 001 1157/2, Airport Road, Maruti Nagar, Belgaum, Karnataka - 590 016
6Alwa7Amb8Amb9Asar10Aura11Bath12Belg13Bella14Bhai15Bhiw16Bhop	war nbala nbikapur ansol urangabad thinda elgaum elgaum dilary naruch	J.S. Fourwheel Motors Pvt. Ltd. Ambala Automobile India Ltd. Tiwari Motors GNB Motors Pvt. Ltd. Ratnapprabbha Motors Garg Motors Karnataka Agro Enterprises Shree Malleswara Automotive	Showroom: JS Fourwheel Motors Pvt. Ltd., Delhi Road, Alwar Workshop: C11 Warehouse Scheme, Opposite Jhankar Hotel, Alwar Village Khuda Khurd, Ambala Jagadhari Highway, Ambala, Haryana - 133 001 Near Kendariya Vidhyalaya, M.G. Road, Ambikapur, Surguja, Chhattisgarh - 497 001 GNB House, G.T. Road, P.O. Ningha, Asansol, West Bengal - 713 370 M/s Ratnapprabbha Motors, Gut No. 72/1, Daulatabad "T" Point, Behind Highway Police Chowki, Sharnapur, Aurangabad, Maharashtra - 431 002 Opposite Bagwani Bhawan, Near Petrol Pump, Vpo. Jodhpur Romana, Dabawali Road, Bathinda - 151 001 1157/2, Airport Road, Maruti Nagar, Belgaum, Karnataka - 590 016
7 Amk 8 Amk 9 Asar 10 Aura 11 Bath 12 Belg 13 Bella 14 Bhai 15 Bhiw 16 Bhop	nbala nbikapur ansol urangabad thinda ugaum ulgaum aruch aruch	Ambala Automobile India Ltd. Tiwari Motors GNB Motors Pvt. Ltd. Ratnapprabbha Motors Garg Motors Karnataka Agro Enterprises Shree Malleswara Automotive	Village Khuda Khurd, Ambala Jagadhari Highway, Ambala, Haryana - 133 001 Near Kendariya Vidhyalaya, M.G. Road, Ambikapur, Surguja, Chhattisgarh - 497 001 GNB House, G.T. Road, P.O. Ningha, Asansol, West Bengal - 713 370 M/s Ratnapprabbha Motors, Gut No. 72/1, Daulatabad "T" Point, Behind Highway Police Chowki, Sharnapur, Aurangabad, Maharashtra - 431 002 Opposite Bagwani Bhawan, Near Petrol Pump, Vpo. Jodhpur Romana, Dabawali Road, Bathinda - 151 001 1157/2, Airport Road, Maruti Nagar, Belgaum, Karnataka - 590 016
8 Amb 9 Asar 10 Aura 11 Bath 12 Belg 13 Bella 14 Bhai 15 Bhiw 16 Bhop	nbikapur ansol irangabad thinda ilgaum illary naruch iiwandi	Tiwari Motors GNB Motors Pvt. Ltd. Ratnapprabbha Motors Garg Motors Karnataka Agro Enterprises Shree Malleswara Automotive	Near Kendariya Vidhyalaya, M.G. Road, Ambikapur, Surguja, Chhattisgarh - 497 001 GNB House, G.T. Road, P.O. Ningha, Asansol, West Bengal - 713 370 M/s Ratnapprabbha Motors, Gut No. 72/1, Daulatabad "T" Point, Behind Highway Police Chowki, Sharnapur, Aurangabad, Maharashtra - 431 002 Opposite Bagwani Bhawan, Near Petrol Pump, Vpo. Jodhpur Romana, Dabawali Road, Bathinda - 151 001 1157/2, Airport Road, Maruti Nagar, Belgaum, Karnataka - 590 016
9 Asar 10 Aura 11 Bath 12 Belg 13 Bella 14 Bhar 15 Bhiv 16 Bhop	ansol irrangabad thinda ilgaum illary iaruch iiwandi	GNB Motors Pvt. Ltd. Ratnapprabbha Motors Garg Motors Karnataka Agro Enterprises Shree Malleswara Automotive	GNB House, G.T. Road, P.O. Ningha, Asansol, West Bengal - 713 370 M/s Ratnapprabbha Motors, Gut No. 72/1, Daulatabad "T" Point, Behind Highway Police Chowki, Sharnapur, Aurangabad, Maharashtra - 431 002 Opposite Bagwani Bhawan, Near Petrol Pump, Vpo. Jodhpur Romana, Dabawali Road, Bathinda - 151 001 1157/2, Airport Road, Maruti Nagar, Belgaum, Karnataka - 590 016
10Aura11Bath12Belg13Bella14Bhan15Bhiw16Bhop	thinda Ilgaum Ilary Iaruch Iiwandi	Ratnapprabbha Motors Garg Motors Karnataka Agro Enterprises Shree Malleswara Automotive	M/s Ratnapprabbha Motors, Gut No. 72/1, Daulatabad "T" Point, Behind Highway Police Chowki, Sharnapur, Aurangabad, Maharashtra - 431 002 Opposite Bagwani Bhawan, Near Petrol Pump, Vpo. Jodhpur Romana, Dabawali Road, Bathinda - 151 001 1157/2, Airport Road, Maruti Nagar, Belgaum, Karnataka - 590 016
11Bath12Belg13Bella14Bhar15Bhiv16Bhop	thinda Ilgaum Ilary Iaruch Iiwandi	Garg Motors Karnataka Agro Enterprises Shree Malleswara Automotive	Opposite Bagwani Bhawan, Near Petrol Pump, Vpo. Jodhpur Romana, Dabawali Road, Bathinda - 151 001 1157/2, Airport Road, Maruti Nagar, Belgaum, Karnataka - 590 016
12Belg13Bella14Bhai15Bhiv16Bho	illary haruch hiwandi	Karnataka Agro Enterprises Shree Malleswara Automotive	1157/2, Airport Road, Maruti Nagar, Belgaum, Karnataka - 590 016
13Bella14Bhar15Bhiv16Bhop	illary haruch hiwandi	Shree Malleswara Automotive	
14Bhai15Bhiv16Bhoi	haruch hiwandi		
15Bhiv16Bho	iwandi		NH No. 08, Near Hotel Nyay Mandir, Bharuch - 392 011
16 Bho		TIAAN Wheels Pvt. Ltd.	Survey No. 44/2, 45/1, Opposite Gupta Warehouse, Village Dapoda , Taluka Bhiwandi, District Thane - 421 301
		Win Win Automobiles Pvt. Ltd.	Villa Chan Patwari Halka No. 25, Bypass Road, 11th Mile, Hoshangabad Road, Bhojpur Chouraha, Tehsil Huzur, Bhopal - 462 026
17 Bhu	·	MK Motors	1st Floor, Fort View Building, Near Cargo Circle, Madhapar Ring Road, Bhuj, Kutch
	kaner	Manda Motors Pvt. Ltd.	M/s Manda Motors Pvt. Ltd. 1/2 KM From Bypass, NH 11, Jaipur Road, Bikaner, Rajasthan - 334 001
	aspur	Greenland Automobiles Pvt. Ltd.	Chandigarh Manali Highway, Kothipura, Bilaspur, Himachal Pradesh
	bhum	Loknath Automobile	Kali Kandor Abdarpur, NH 60 , Near Suri Railgate, P.O. Barabagan, P.S. Suri, District Birbhum, West Bengal - 731 103, T: 03462 203565/567
21 Calic		T.V. Sundram Iyengar & Sons Pvt. Ltd.	Opposite 3/1014, C&D NH Road, Near Apollo Hospital, Iringalloor, Guruvayurappan College, P.O. Calicut - 673 014
	nennai	Rajalakshmi Automobiles Pvt. Ltd.	259/1, Bypass Road, Poonamallee, District Chennai, Tamilnadu - 600 056, T: 044 26274364
	hindwara	Rudraksha Automotives	Ring Road Square, Parasia Road, Kundalikalan, Chhindwara, Madhya Pradesh - 480 001
	chin	T.V. Sundram Iyengar & Sons Pvt. Ltd.	Vallathole Junction, Seaport Airport Road, Trikkakara, Cochin - 682 021
	oimbatore	Reliable Motors	66/3, L&T Bypass Road, Opposite Sakthi Engineering College, Irugur, Coimbatore
	Iddalore	Selvi Automobiles	Plot No. 3, TR Nagar, Thottapattu Village & Panchayat, Nellikuppam Main Road, Cuddalore, T: 0414 2290202
	ıddapah	Sri Vijaya Durga Motors Pvt. Ltd.	Survey No. 5/3, Opposite Indira Township, Near Airport, Kamalapuram Road, Rudhra Bharathipet, Chennur (M), Kadapa - 516 003
	hradun	Shreyans Automotives	Khasra No. 253, Manoharpur, Atmalpur Bahadrabad, Near Haridwar Bypass, Haridwar, Uttarakhand - 249 402
	nanbad	Coalfield Equipments Pvt. Ltd.	NH 2, Kasitand Barwadda, Dhanbad, Jharkhand - 826 004
	brugarh	Milestone Motors	Milestone Motors, Nizlahoal, At. Road, NH 37, P.O. Lahoal, Dibrugarh, Assam - 786 010, T: 0373 2381936
	mapur	Chabou & Co.	6th Mile, Near Sovima Village Gate, NH 29, Chumukdema, Dimapur - 797 112, T: 03862 240000
	ridabad	Greenland Automobiles Pvt. Ltd.	Village Gadpuri, Dundsa More, NH 2, District Palwal, Haryana - 121 102
	andhidham	Shantinath Motors Pvt. Ltd.	Survey No. 309, National Highway 8/a, Near A.V. Joshi Cfs, Village Mithirohar, Gandhidham, Kutch - 370 240
34 Gaya	iya	Maharani Services	Moulana Chowk NH 2, Sherghati, Gaya, Bihar - 823 001
35 Goa	ba	Muktar Automobiles Pvt. Ltd.	Plot No. L 76, Near Fire Station, Verna Industrial Estate, Verna, Goa - 403 722
36 Gora	orakhpur	Hora Motors Pvt. Ltd.	NH 28 Lucknow Gorakhpur Highway, At. Kasrwal, Post Sahjnwa, District Gorakhpur, Uttar Pradesh - 273 009
37 Guw	uwahati	Horizon Entrade Pvt. Ltd.	Pashchim Boragaon, P.S. Gorchuk, Mouza Jalukbari, P.O. Gotanagar, Guwahati, District Kamrup Metro, Assam - 781 033
38 Gwa	valior	Royal Motors (Bhopal) Pvt. Ltd.	Survey No. 237/Min, 1 Patwari Halka No. 24, Gram, Nayagaon A.B. Road, Gwalior, Madhya Pradesh - 474 009
	/derabad	Fortune Commercial Vehicles	Survey No. 647/1, Pedda Amberpet Kalan, Hayatha Nagar, Ranga Reddy District, Hyderabad - 501 505, T: 040 27523300
	phal	NR Motors	M.G. Avenue, Thangal Bazar, Near Gandhi Statue, District Imphal West, Manipur - 795 001
41 Indo		Sanghi (MTB) Trucking Pvt. Ltd.	17, Gram Nipaniya Tehsil, 286/1/1, A.B. Road, Indore, Madhya Pradesh - 452 016
	balpur	Star Automobiles (M.P.) Ltd.	60 Tripuri Chowk, Garha, Nagpur Road, Jabalpur - 482 001
43 Jaipi	ipur	K.S. Motors Pvt. Ltd.	Opposite Pink Pearl Resorts, Nursinghpura, Ajmer Road, NH 8, Jaipur - 302 026
44 Jajp	ipur	Choicewheel Automotive Pvt. Ltd.	At. Khaira, P.O. Badachana, District Jajpur, Odisha - 754 296
	landhar	Kartar Motor Punjab Pvt. Ltd.	Raowali, HB No. 205, Pathankot Highway, Jalandhar - 144 012
46 Jam	mmu	Astro India Automobile (Unit II) Pvt. Ltd.	Sales Office: Platinum Tower NH 1 Near Railway Station Exit, Bari Brahmana, Jammu J&K - 181133, T: 01923 222675/76/42/43/44
			Showroom & Workshop: Purmandal Road, Rakh Rajpur, Tehsil & District Samba, T: 0191 2484430
47 Jam	mshedpur	Sai Trucking Services Pvt. Ltd.	NH 33, Plot No. 175,176,177, Near HP Petrol Pump, Ramgarh, Chandil, District Seraikela, Kharsawan - 832 401
	arsuguda	Shree Balaji Automobiles	At. Satgachhia, P.O. Lapanga, District Sambalpur, Odisha - 768 232

Sr. No.	Location
49	Jhunjhunu
49 50	Jodhpur
50	Karnal
52	Keonjhar
53 54	Kharagpur
54 55	Kharagpur
	Kolhapur Kolkata
56	NOIKala
57	Kolkata
58	Korba
59	Kota
60	Leh
61	Ludhiana
62	Madurai
63	Malda
64	Moradabad
65	Muzaffarpur
66	Nagpur
67	Nashik
68	Nellore
69	Noida
70	Panipat
71	Panvel
72	Patiala
73	Purnea
74	Raipur
75	Rajkot
76	Ranchi
77	Rohtak
78	Rudrapur
79	Salem
80	Satna
81	Shahjahanpu
82	Silchar
83	Siliguri
84 or	Singrauli
85 86	Solapur Surat
00	Suidi
87	Tezpur
88	Tirunelveli
89	Trichy
90	Udaipur
91	Vadodara
92	Varanasi
93	Varanasi
94	Vijayawada
95	Vizag
96	Warangal

Dealer Name	Dealership Address
Gehlot Motors Pvt. Ltd.	Sikar Jaipur Road, Sikar & Jhunjhunu G1 11/12, H1 13/14 RICO Automobile Zone, Jhunjhunu - 333 001
Thar Motor Company Pvt. Ltd.	NH 62, Pali Road, Village Mogra, Tahsil Luni, Jodhpur
Ridham Motors	Opposite New Grain Market, Near Samta Hyundai Showroom, GT Road, Karnal
Tarini Motors Pvt. Ltd.	NH 6, Sankarpur, P.O. Nelung, District Keonjhra, Odisha - 758 002
Star India Agencies Pvt. Ltd.	M/s Star India Agencies, NH 6, Rupnarayanpur, Kharagpur District (West), Medinipur, West Bengal - 721 301
GNB Motors Pvt. Ltd.	NH 6, Rupnarayanpur, P.O. Jakpur, Kharagpur, West Bengal - 721 301
Trendy Wheels Pvt. Ltd.	Gut No. 196, Opposite Menon Ring, NH 4, A/P Sambhapur, Taluka Hatkanangale, District Kolhapur - 416 122
Mohan Motor Business Pvt. Ltd.	Showroom: "E" Block, First Floor, 9/12 Lalbazar Street, Mercantile Building, Kolkata - 700 001 Workshop: Kona Express, Khejurtala Truck Terminal, P.O. Bankra
	P.S. Domjur, Howrah, West Bengal - 711 403
GNB Motors Pvt. Ltd.	GNB Motors Pvt. Ltd. NH 6, Jalan Complex, Gate No. 1, Argori, Jangalpur, Howrah, West Bengal - 711 302
Ratan Automobiles	Ambikapur Road, Katghora, District Korba, Chhattisgarh - 495 445
Yadav Automotives	G 18, Automotive Zone, Indraprastha Industrial Area, Kota - 324 005
Mentokling Motors	Near SBI Choglamsar, Leh, Ladakh - 194 101
Garyson Automobile	Showroom: Sherpur Chowk, G.T. Road, Ludhiana, Punjab - 141 003 Workshop: Near Garyson Tata Workshop, Threekay Road, Ferozepur Road, Ludhiana
Jai Vijai Motors	21/A 1A, Dindugul Bypass Road, Near Bharath Rubber Factory, Thriuvayavallanallur, Madurai - 625 221
S.N. Motors Pvt. Ltd.	P.O. Narayanpur, Malda, West Bengal - 732 191
Mahalaxmi Autoworld Pvt. Ltd.	10th Km, Rampur Road, P.O. Akka Dilari, Moradabad - 244 001
Amar Jyoti Automobiles Pvt. Ltd.	Village Thuhma, Near Akrahan Pul, P.O. Kurhani, District Muzaffarpur, Bihar - 844 127
Augusta Motors Pvt. Ltd.	M/s Augusta Motors Pvt. Ltd., 18th Km Milestone, Near Deshounnati Press, Amravati Road, At. Post Gondkhairy, Nagpur, Maharashtra - 440 023
Jitendras Auto World	M/s. Jitendras Auto World, 10th Mile Stone, Opposite Ambe Hill Jaulke Shivar, Mumbai Agra Highway, Taluka Dindori, Nashik - 422 201, T: 02557 279085
Medikonda Automotives Pvt. Ltd.	Plot No. 139, Industrial Park, IDA, Opposite Golagamudi Road, NH 5, Nellore, Andhra Pradesh - 524 320
Greenland Automobiles Pvt. Ltd.	Plot No. 2C, Sector 31, Site 4, Ecotech 1, Greater Noida, Uttar Pradesh
Karan Automotives	101 Mile Stone, G.T. Road, Kohand, Karnal -132 114
Randhawa Motors (A Division of RAEPL)	Sales Office: Shop No. 113, Agarwal Arcade VI, Sector 1, Shirwane, Nerul, Navi Mumbai - 400 706, Survey No. 165, Hissa No. 3, Near DPS School,
	Village Shirdhon, Taluka Panvel, District Raigad - 410 221
Goyal Vehicles	Rajpura Patiala Road, Village & Post Office Kauli, Opposite J.S.S. College, District Patiala - 140 701
World Nice Automobiles	Dumka Chowk, NH 31, Gulabbagh, Purnea, Bihar - 854 326
Ralas Wheels	G.E. Road, Nandanvan Turning, Chandandih, Raipur, Chhattisgarh - 492 099, T (Mr. J.S. Virdi) : 82259 59000, 82259 82000
Trishul Autolink	Gondal Highway NH 8B, Besides TB Hospital, Near Kangasiyali Village, Rajkot - 360 002
Nexera Motors Pvt. Ltd.	Plot No. 2022/3, Basant Vihar, Road No. 1a, Harmu, Ranchi - 834 002
Global Automobiles	5 Km Stone, Opposite Lord Krishna College, Vpo. Karonthha Jhajjar Road, Rohtak - 124 001
Sainath Automobiles LLP	Opposite AN Jha College, 1 Km Milestone, Delhi Road, NH 87, Rudrapur, Uttarakhand - 263 153
SKS Automobiles	Survey No. 124, Poimankaradu, Salem Namakkal Highway, NH 7, Gajjalnaikanpatty, P.O. Salem - 636 201 T: 0427 2277000
Shriram Motor Works Pvt. Ltd.	Industrial Area, Plot No. 60, Rewa Road, Satna - 485 001
Narayan Power Solution	Ahmadpur Niwazpur, Near Vijaya Bank, Roza, Shahjahanpur - 242 001
Highway Motors	Village Bahadurpur, P.O. Rongpur Part 2, Silchar, Assam - 788 009
Khokan Motor Works Pvt. Ltd.	Showroom: Paribahan Nagar, Matigara, Siliguri - 734 010 Workshop: Bhutki Gondar More, P.O. Fulbari, District Jalpaiguri, West Bengal - 735 135
RDV Automotives India Pvt. Ltd.	Main Road Naugarh NH 75, Waidhan, District Singrauli, Madhya Pradesh - 486 887
Adiprabha Motors	Gut No. 195/2/K , Savaleshwar, Taluka Mohol, District Solapur - 413 213
Navjivan Automotive	Head Office: 67, Shiv Ashish Society, Near SMC South Zone Office, Udhna, Magdalla Road, Surat - 395 002 Showroom & Workshop: Block No. 484,
	Opposite Ranodara Patiya, At. P.O. Vesma, NH 8, Taluka Jalalpor, District Navsari
Indraprasth Motors	NH 37 (A), No. 1 Dolabari, Tezpur, Assam - 784 027
Kodai Automobiles Ltd.	3/69K, Madurai Kanyakumari Fourway Road, Reddiarpatti P.O., Tirunelveli, Tamil Nadu - 627 007
SJB Automobiles Pvt. Ltd.	SF No. 83/40, Trichy to Madurai Main Road, Alunthur Village Kunnathur P.O., Srirangam Taluk, Trichy DT - 621 316
Daksh Auto (India) Pvt. Ltd.	NH 76, Airport Road Opposite Power House Debari, Udaipur, Rajasthan - 313 024, T: 98297 3366, 80031 33555
MK Motors	Survey 46/2, Plot No. 2 Durga Industrial Estate, NH 8, Village Sankarda, Taluka Vadodara, District Vadodara, Gujarat - 391 350
	 Plot No. 63&66, Village Tengra Varanasi to Mirzapur Highway on NH 7 Tengra Modh, Ramnagar, Varanasi - 221 008
Meru Infrastructure Pvt. Ltd.	Sagunaha, Babatpur, Opposite Sanchetna Petrol Pump, Varanasi - 221 006
CMR Automotives Pvt. Ltd.	Plot No. 328 & 329, Block No. 15, New Auto Nagar, Apiiciala Panchayat, Kanuru, Penamaluru (M), Vijayawada - 520 007
CMR Automotives Pvt. Ltd.	Plot No. 15, D Block, Extension, Auto Nagar, Vizag - 530 012
Srinivasa Automotives	No. 3-15-5/1, Peddammagadda, Before Chruch, Opposite to Current Office, Warangal - 506 002
Shiniyasa Automotives	No. 5 15 57, redultimagadua, belore childen, opposite to current office, vialangai - 500 002